

## **Safety Data Sheet**

according to UK REACH Regulation

#### 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 1 of 13

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

926 Carbon Remover 200 ml ALL

UFI: M8N1-A0U2-100V-RWSA

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cleaner

### 1.3. Details of the supplier of the safety data sheet

Company name: TUNAP GmbH & Co. KG
Street: Buergermeister-Seidl-Strasse 2
Place: D-82515 Wolfratshausen

Telephone: +49 (0) 8171/1600-0 Telefax: +49 (0) 8171/1600-40

e-mail: sdb@tunap.com Internet: www.tunap.com

1.4. Emergency telephone 111 NHS (National Health Service)

number:

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Aerosol 3; H229 Skin Irrit. 2; H315 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

## **GB CLP Regulation**

#### Hazard components for labelling

2-aminoethanol; ethanolamine

Signal word: Danger

Pictograms:



## **Hazard statements**

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H318 Causes serious eye damage.

### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.



## **Safety Data Sheet**

according to UK REACH Regulation

#### 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 2 of 13

P302+P352 IF ON SKIN: Wash with plenty of water.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### Special labelling of certain mixtures

5 % by mass of the contents are flammable.

#### 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (GB CLP Regulati	on)				
141-43-5	2-aminoethanol; ethanolamine			3 - < 5 %		
	205-483-3	603-030-00-8	01-2119486455-28			
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT SE 3, Aquatic Chronic 3; H332 H312 H302 H314 H335 H412					
14171-00-7	N-dodecyl-ß-alanine, compound	0.1 - < 1 %				
	238-015-1					
	Eye Irrit. 2; H319					
100-37-8	2-diethylaminoethanol; N,N-diet	hylethanolamine		0.1 - < 1 %		
	202-845-2	603-048-00-6				
	Flam. Liq. 3, Acute Tox. 3, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, STOT SE 3; H226 H331 H311 H302 H314 H335					

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

epecine con	pecine conc. Elimis, in-lactors and ATE				
CAS No	EC No	Chemical name	Quantity		
	Specific Conc. I	Limits, M-factors and ATE			
141-43-5	205-483-3	2-aminoethanol; ethanolamine	3 - < 5 %		
	l I	E = 11 mg/l (vapours); inhalation: LC50 = 1,3 mg/l (dusts or mists); dermal: g/kg; oral: LD50 = 1089 mg/kg STOT SE 3; H335: >= 5 - 100			
14171-00-7	238-015-1	N-dodecyl-ß-alanine, compound with 2,2',2"-nitrilotriethanol (1:1)	0.1 - < 1 %		
	oral: LD50 = >	4190 - < 11260 mg/kg			
100-37-8	202-845-2	2-diethylaminoethanol; N,N-diethylethanolamine	0.1 - < 1 %		
	l I	0 = ca. 4,6 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: 0 mg/kg; oral: LD50 = ca. 1320 mg/kg STOT SE 3; H335: >= 5 - 100			

## Labelling for contents according to Regulation (EC) No 648/2004

< 5 % amphoteric surfactants, perfumes (Limonene).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.



## **Safety Data Sheet**

according to UK REACH Regulation

## 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 3 of 13

#### After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

#### 4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Danger of bursting container.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

#### 6.3. Methods and material for containment and cleaning up

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13



## **Safety Data Sheet**

according to UK REACH Regulation

#### 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 4 of 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

### Advice on protection against fire and explosion

Heating causes rise in pressure with risk of bursting.

#### Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

### Hints on joint storage

Protect from frost. Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

### Further information on storage conditions

Protect from frost. Protect from direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

## 7.3. Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL



# **Safety Data Sheet**

according to UK REACH Regulation

## 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 5 of 13

## **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
141-43-5	2-aminoethanol; ethanolamine					
Worker DNEL,	long-term	inhalation	systemic	1 mg/m³		
Worker DNEL,	long-term	inhalation	local	0,51 mg/m³		
Worker DNEL,	long-term	dermal	systemic	3 mg/kg bw/day		
Consumer DN	EL, long-term	inhalation	systemic	0,18 mg/m³		
Consumer DN	EL, long-term	inhalation	local	0,28 mg/m³		
Consumer DN	EL, long-term	dermal	systemic	1,5 mg/kg bw/day		
Consumer DN	EL, long-term	oral	systemic	1,5 mg/kg bw/day		
14171-00-7	N-dodecyl-ß-alanine, compound with 2,2',2"-nitrilotriethanol	l (1:1)				
Worker DNEL, long-term		dermal	systemic	2,67 mg/kg bw/day		
100-37-8 2-diethylaminoethanol; N,N-diethylethanolamine						
Worker DNEL,	long-term	inhalation	systemic	18,3 mg/m³		
Worker DNEL,	long-term	inhalation	local	10,7 mg/m³		
Worker DNEL,	long-term	dermal	systemic	2,5 mg/kg bw/day		

## PNEC values

CAS No	Substance	
Environmenta	I compartment	Value
141-43-5	2-aminoethanol; ethanolamine	
Freshwater		0,07 mg/l
Freshwater (ir	ntermittent releases)	0,028 mg/l
Marine water		0,007 mg/l
Freshwater se	ediment	0,357 mg/kg
Marine sedim	ent	0,036 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	100 mg/l
Soil		1,29 mg/kg
14171-00-7	N-dodecyl-ß-alanine, compound with 2,2',2"-nitrilotriethanol (1:1)	
Freshwater	0,1 mg/l	
Freshwater (ir	0,1 mg/l	
Marine water		0,01 mg/l
Micro-organis	ms in sewage treatment plants (STP)	0,3 mg/l
100-37-8	2-diethylaminoethanol; N,N-diethylethanolamine	
Freshwater		0,062 mg/l
Freshwater (ir	ntermittent releases)	0,34 mg/l
Marine water	0,006 mg/l	
Freshwater se	0,673 mg/kg	
Marine sediment 0,067		
Micro-organisms in sewage treatment plants (STP)  10 mg/l		
Soil		0,098 mg/kg



## **Safety Data Sheet**

according to UK REACH Regulation

### 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 6 of 13

#### Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B)

Urine (U)

#### 8.2. Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

EN 166

#### Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min

Thickness of the glove material 0,45 mm

**EN ISO 374** 

### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

## Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)...

Filtering device with filter or ventilator filtering device of type: P

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

### **Environmental exposure controls**

Observe legal regulations and provisions.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Aerosol
Colour: neon yellow
Odour: Lemon

**Test method** 

Print date: 25.08.2022

#### Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Sublimation point:

Softening point:

No information available.



## **Safety Data Sheet**

according to UK REACH Regulation

#### 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 7 of 13

**Flammability** 

Solid/liquid: not applicable
Gas: not applicable

**Explosive properties** 

Heating may cause an explosion.

Lower explosion limits:

Upper explosion limits:

No information available.

No information available.

No information available.

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

pH-Value (at 20 °C): 10,7 DIN 19268

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density: 1 g/cm³ DIN 51757

Relative vapour density: not determined

9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: No data available

Oxidizing properties Not oxidising.

Other safety characteristics

Solid content: not determined

Evaporation rate: not determined

**Further Information** 

Data apply to technical substance: Relative density, Colour, Odour, Viscosity, pH.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.



## **Safety Data Sheet**

according to UK REACH Regulation

#### 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 8 of 13

#### 10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### **Further information**

Do not mix with acids.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
141-43-5	2-aminoethanol; ethanola	amine				
	oral	LD50 mg/kg	1089	Rat	Study report (1988)	OECD Guideline 401
	dermal	LD50 mg/kg	2504	Rabbit	Study report (1988)	OECD Guideline 402
	inhalation vapour	ATE	11 mg/l			
	inhalation (4 h) dust/mist	LC50	1,3 mg/l	Rat		
14171-00-7	N-dodecyl-ß-alanine, con	npound with	2,2',2"-nitrilo	otriethanol (1:1)		
	oral	LD50 < 11260 mg	> 4190 - g/kg	Rat	CIR Panel Book Page 29 (2011)	OECD Guideline 401
100-37-8	2-diethylaminoethanol; N	,N-diethyleth	anolamine			
	oral	LD50 mg/kg	ca. 1320	Rat	Study report (1969)	BASF-Test: The study was conducted accor
	dermal	LD50 mg/kg	ca. 1100	Rabbit	Cited in: Documentation of the Threshold	The study was conducted prior to the imp
	inhalation (1 h) vapour	LC50 mg/l	ca. 4,6	Rat	Study report (1969)	BASF TEST: The test demonstrates the tox
	inhalation dust/mist	ATE	0,5 mg/l			

### Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

### STOT-single exposure

Based on available data, the classification criteria are not met.



# **Safety Data Sheet**

according to UK REACH Regulation

### 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 9 of 13

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No information available.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

## 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
141-43-5	2-aminoethanol; ethanolamine						
	Acute fish toxicity	LC50	349 mg/l	96 h	Cyprinus carpio	Study report (1997)	other: Directive 92/69/EEC, C.1.
	Acute algae toxicity	ErC50	2,8 mg/l	72 h	Raphidocelis subcapitata	unpublished (1997)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	27,04	48 h	Daphnia magna	Study report (2012)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	1,24	41 d	Oryzias latipes	unpublished (2008)	OECD Guideline 210
	Crustacea toxicity	NOEC mg/l	0,85	21 d	Daphnia magna	unpublished (1997)	other: OECD 202 "Daphnia sp., Acute Immo
14171-00-7	N-dodecyl-ß-alanine, com	pound with	2,2',2"-nitrilo	triethano	l (1:1)		
	Acute algae toxicity	ErC50 mg/l	ca. 5,5	72 h	Chlorella vulgaris	REACh Registration Dossier	No supporting analysis was performed. No
	Crustacea toxicity	NOEC mg/l	ca. 10	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	ca. 300	3 h	activated sludge of a predominantly domestic sewag	Study report	OECD Guideline 209
100-37-8	2-diethylaminoethanol; N	N-diethyleth	nanolamine				
	Acute fish toxicity	LC50	147 mg/l	96 h	Leuciscus idus	Study report (1987)	other: German Industrial Standard DIN 38
	Acute algae toxicity	ErC50 mg/l	62,3	72 h	Desmodesmus subspicatus	Study report (1988)	other: German industrial standard test g
	Acute crustacea toxicity	EC50 mg/l	83,6	48 h	Daphnia magna	Study report (1988)	EU Method C.2

## 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential



## **Safety Data Sheet**

according to UK REACH Regulation

#### 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 10 of 13

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-43-5	2-aminoethanol; ethanolamine	-2,3
14171-00-7	N-dodecyl-ß-alanine, compound with 2,2',2"-nitrilotriethanol (1:1)	< 1
100-37-8	2-diethylaminoethanol; N,N-diethylethanolamine	0,21

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
141-43-5	2-aminoethanol; ethanolamine	2,5		SAR and QSAR in Envi
14171-00-7	N-dodecyl-ß-alanine, compound with 2,2',2"-nitrilotriethanol (1:1)	ca. 70		REACh Registration D
100-37-8	2-diethylaminoethanol; N,N-diethylethanolamine	< 6,1	Cyprinus carpio	Publication (2002)

## 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

### List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

### Contaminated packaging

Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)



## **Safety Data Sheet**

according to UK REACH Regulation

#### 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 11 of 13

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.2Classification code:5A

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0
Transport category: 3
Tunnel restriction code: E

Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.2Classification code:5A

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):2.214.4. Packing group:-Hazard label:2.2Marine pollutant:no

Special Provisions: 63, 190, 277, 327, 344, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1950

14.2. UN proper shipping name: AEROSOLS, NON-FLAMMABLE

14.3. Transport hazard class(es):2.214.4. Packing group:-Hazard label:2.2

Special Provisions: A98 A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments



## **Safety Data Sheet**

according to UK REACH Regulation

#### 926 Carbon Remover 200 ml ALL

Revision date: 28.07.2022 Product code: 1105961 Page 12 of 13

not applicable

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC):

No information available.

2004/42/EC (VOC):

No information available.

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Aerosol Directive (75/324/)

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,9,14.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aerosol 3; H229	On basis of test data
Skin Irrit. 2; H315	Bridging principle "Aerosols"
Eye Dam. 1; H318	Bridging principle "Aerosols"

#### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.



# **Safety Data Sheet**

according to UK REACH Regulation

	926 Carbon Remover 200 ml ALL	
Revision date: 28.07.2022	Product code: 1105961	Page 13 of 13
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H412	Harmful to aquatic life with long lasting effects.	

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)