

according to UK REACH Regulation

989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021

Product code: 11AMF98900300A

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

989 Direct Injector Cleaner 300 ml A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Additive

1.3. Details of the supplier of the safety data sheet

Company name:	TUNAP GmbH & Co. KG	
Street:	Buergermeister-Seidl-Strasse 2	
Place:	D-82515 Wolfratshausen	
Telephone:	+49 (0) 8171/1600-0	Telefax: +49 (0) 8171/1600-40
e-mail:	sdb@tunap.com	
Internet:	www.tunap.com	
1.4. Emergency telephone	111 NHS (National Health Service)	
numbori		

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 4; H332 Asp. Tox. 1; H304 STOT SE 3; H336 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates 2-Ethylhexyl nitrate 2-Ethylhexan-1-ol

Naphtha Petroleum Hydro treated Heavy

Signal word:

Pictograms:



Hazard statements

H226	Flammable liquid and vapour.
H302+H332	Harmful if swallowed or if inhaled.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

P210



according to UK REACH Regulation

989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021 Product code: 11AMF98900300A Page 2 of 14 smoking. P260 Do not breathe vapours. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear Eve protection. P302+P352 IF ON SKIN: Wash with plenty of soap and water. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P301+P330+P331 Immediately call a POISON CENTER/doctor. P310 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Get medical advice/attention if you feel unwell.

Special labelling of certain mixtures

Repeated exposure may cause skin dryness or cracking.

EUH066 2.3. Other hazards

P314

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes	s, iso-alkanes, cyclics, < 2 % ar	romates	25 - < 50 %
	919-857-5		01-2119463258-33	
	Flam. Liq. 3, STOT SE 3, Asp. Tox	. 1; H226 H336 H304 EUH066		
27247-96-7	2-Ethylhexyl nitrate			25 - < 50 %
	248-363-6		01-2119539586-27	
	Acute Tox. 4, Acute Tox. 4, Acute TEUH066	Fox. 4, Aquatic Chronic 2; H332	2 H312 H302 H411 EUH044	
64742-48-9	Naphtha Petroleum Hydro treated I	5 - < 10 %		
	918-481-9			
	Flam. Liq. 3, Asp. Tox. 1; H226 H3	04		
104-76-7	2-Ethylhexan-1-ol			5 - < 10 %
	203-234-3		01-2119487289-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit.	2, STOT SE 3; H332 H315 H3	19 H335	
64742-94-5	Hydrocarbons, C10, aromatics, <1	% naphthalene		1 - < 3 %
	918-811-1		01-2119463583-34	
	STOT SE 3, Asp. Tox. 1, Aquatic C	hronic 2; H336 H304 H411 EU	IH066	

Full text of H and EUH statements: see section 16.



989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021

Product code: 11AMF98900300A

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity					
	Specific Conc.	Specific Conc. Limits, M-factors and ATE						
64742-48-9	919-857-5	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	25 - < 50 %					
	inhalation: LC50 = 4951 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg							
27247-96-7	248-363-6	2-Ethylhexyl nitrate	25 - < 50 %					
		50 = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = >9640 mg/kg						
64742-48-9	918-481-9	Naphtha Petroleum Hydro treated Heavy	5 - < 10 %					
	inhalation: LC mg/kg	50 = > 4951 mg/l (vapours); dermal: LD50 = > 3160 mg/kg; oral: LD50 = > 5000						
104-76-7	203-234-3	2-Ethylhexan-1-ol	5 - < 10 %					
		50 = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = 2047 mg/kg						
64742-94-5	918-811-1	Hydrocarbons, C10, aromatics, <1% naphthalene	1 - < 3 %					
	inhalation: LC mg/kg	50 = > 5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000						

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous



according to UK REACH Regulation

989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021

Product code: 11AMF98900300A

Page 4 of 14

products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)



Safety Data Sheet

989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021

Product code: 11AMF98900300A

Page 5 of 14

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
104-76-7	2-ethylhexan-1-ol	1	5.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
64742-48-9	4742-48-9 Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates					
Worker DNEL	, long-term	inhalation	systemic	1500 mg/m ³		
Worker DNEL	, long-term	dermal	systemic	300 mg/kg bw/day		
Consumer DN	IEL, long-term	inhalation	systemic	900 mg/m³		
Consumer DNEL, long-term dermal systemic 300 mg/kg				300 mg/kg bw/day		
Consumer DN	IEL, long-term	oral	systemic	300 mg/kg bw/day		
27247-96-7	2-Ethylhexyl nitrate					
Worker DNEL	, long-term	inhalation	systemic	0,35 mg/m³		
Worker DNEL	, long-term	dermal	systemic	1 mg/kg bw/day		
Consumer DNEL, long-term		dermal	systemic	0,52 mg/kg bw/day		
Consumer DN	IEL, long-term	oral	systemic	0,025 mg/kg bw/day		

PNEC values

CAS No	Substance					
Environmental compartment Value						
27247-96-7	2-Ethylhexyl nitrate					
Freshwater 0,0008 mg/l						
Marine water 0,00008 mg/l						
Freshwater sediment 0,00074 mg/kg						
Marine sediment 0,00074 mg/kg						
Micro-organisms in sewage treatment plants (STP) 10 mg/l						
Soil	Soil					

Additional advice on limit values

- a no restriction
- b End of exposure or end of shift
- c at long-term exposure:
- d before next shift

blood (B) Urine (U)

8.2. Exposure controls



989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021

Product code: 11AMF98900300A

Page 6 of 14

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

EN 166

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min

Thickness of the glove material 0,45 mm

EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: A Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	brown solvent like		
Odour:	Solvent like		
			Test method
Changes in the physical state			
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and boiling range:		> 100 °C	
Flash point:		47 °C	ISO 3679
Flammability Solid/liquid: Gas:		not applicable not applicable	
Lower explosion limits:		0,6 vol. %	
Upper explosion limits:		7 vol. %	
Self-ignition temperature Solid: Gas: Decomposition temperature: pH-Value (at 20 °C):		not applicable not applicable not determined	
,			DIN 53019-1
Viscosity / dynamic:			Div 00019-1



according to UK REACH Regulation

39 Direct Injector Cleaner 300 ml A		
Product code: 11AMF98900300A		Page 7 of 14
< 7 mm²/s	DIN EN ISO 3104	
The study does not need to be conducted because the substance is known to be insoluble in water.		
not determined		
not determined		
0,8444 g/cm³	DIN 51757	
not determined		
d classes		
not determined		
not determined		
	Product code: 11AMF98900300A < 7 mm²/s The study does not need to be conducted because the substance is known to be insoluble in water. not determined 0,8444 g/cm³ not determined d classes not determined	<pre>Product code: 11AMF98900300A <pre>< 7 mm²/s DIN EN ISO 3104 The study does not need to be conducted because the substance is known to be insoluble in water. not determined 0,8444 g/cm³ DIN 51757 not determined d.8444 g/cm³ DIN 51757 not determined mot determined d.8444 g/cm³ DIN 51757 not determined not determined mot determined not determined not determined mot determi</pre></pre>

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Harmful if swallowed. Harmful if inhaled.



989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021

Product code: 11AMF98900300A

Page 8 of 14

ATEmix calculated

ATE (oral) 1923,1 mg/kg; ATE (inhalation dust/mist) 4,644 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates								
	oral	LD50 mg/kg	> 5000	Rat	Study report (1988)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 402			
	inhalation (4 h) vapour	LC50 mg/l	4951	Rat					
27247-96-7	2-Ethylhexyl nitrate								
	oral	LD50 mg/kg	>9640	Rat					
	dermal	LD50 mg/kg	>4820	Rabbit					
	inhalation (4 h) vapour	LC50	11 mg/l	Rat					
	inhalation dust/mist	ATE	1,5 mg/l						
64742-48-9	Naphtha Petroleum Hydro treated Heavy								
	oral	LD50 mg/kg	> 5000	Rat					
	dermal	LD50 mg/kg	> 3160	Rabbit					
	inhalation (4 h) vapour	LC50 mg/l	> 4951	Rat					
104-76-7	2-Ethylhexan-1-ol								
	oral	LD50 mg/kg	2047	Rat					
	dermal	LD50 mg/kg	> 3000	Rat					
	inhalation (4 h) vapour	LC50	11 mg/l	Rat					
	inhalation dust/mist	ATE	1,5 mg/l						
64742-94-5	Hydrocarbons, C10, arol	matics, <1%	aphthalene	•					
	oral	LD50 mg/kg	>5000	Rat					
	dermal	LD50 mg/kg	>2000	Rabbit					
	inhalation (4 h) dust/mist	LC50	> 5 mg/l	Rat					

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction



according to UK REACH Regulation

989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021

Product code: 11AMF98900300A

Page 9 of 14

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways.

Specific effects in experiment on an animal

No information available.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.



according to UK REACH Regulation

989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021

Product code: 11AMF98900300A

Page 10 of 14

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
64742-48-9	Hydrocarbons, C9 - C11,	n-alkanes, i	so-alkanes, d	cyclics, <	2 % aromates			
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Pimephales promelas			
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna			
27247-96-7	2-Ethylhexyl nitrate			-	•			
	Acute fish toxicity	LC50	2 mg/l	96 h	Danio rerio	Study report (2010)	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 12,6	72 h	Pseudokirchneriella subcapitata	Study report (1998)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 12,6	48 h	Daphnia magna	Study report (1998)	OECD Guideline 202	
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209	
64742-48-9	Naphtha Petroleum Hydro treated Heavy							
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50 mg/l	>1000	96 h	Pseudokirchneriella subcapitata			
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna			
104-76-7	2-Ethylhexan-1-ol				-			
	Acute fish toxicity	LC50 mg/l	17,1	96 h	Leuciscus idus (golden orfe)			
	Acute algae toxicity	ErC50 mg/l	11,5	72 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50	39 mg/l	48 h	Daphnia magna			
64742-94-5	Hydrocarbons, C10, aron	atics, <1%	naphthalene	-				
	Acute fish toxicity	LC50 mg/l	>1-<=10	96 h	Pimephales promelas (fathead minnow)			
	Acute algae toxicity	ErC50 mg/l	>1-<=10	96 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50 mg/l	>1-<=10	48 h	Daphnia magna			

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.



989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021

Product code: 11AMF98900300A

Page 11 of 14

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-48-9	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	5
27247-96-7	2-Ethylhexyl nitrate	5,24
104-76-7	2-Ethylhexan-1-ol	2,9

BCF

CAS No	Chemical name	BCF	Species	Source
	Hydrocarbons, C9 - C11, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	144,3	calculated	Other company data (

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - used product

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3295
14.2. UN proper shipping name:	HYDROCARBONS, LIQUID, N.O.S.
14.3. Transport hazard class(es):	3



according to UK REACH Regulation

989 Direct Injector Cleaner 300 ml A Revision date: 26.08.2021 Product code: 11AMF98900300A Page 12 of 14				
Page 12 of				
nitrate)				



989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021

Product code: 11AMF98900300A

Page 13 of 14

SECTION 15: Regulatory information

EU regulatory information	
Restrictions on use (REACH, annex XVII): Entry 3, Entry 28, Entry 40, Entry 75	
2010/75/EU (VOC):	No information available.
2004/42/EC (VOC):	No information available.
Additional information	
Safety Data Sheet according to Regula	tion (EC) No. 1907/2006 (REACH)

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. 2 - obviously hazardous to water

Water hazard class (D):

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 5,6.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA: International Air Transport Association IMDG: International Maritime Code for Dangerous Goods GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level WEL: Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate ATEL (EC): Short Term Exposure Limit LC50: Lethal Concentration EC50:half maximal Effective Concentration ErC50: means EC50 in terms of reduction of growth rate



989 Direct Injector Cleaner 300 ml A

Revision date: 26.08.2021

Product code: 11AMF98900300A

Page 14 of 14

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H332	Calculation method
Asp. Tox. 1; H304	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH044	Risk of explosion if heated under confinement.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)