



according to UK REACH Regulation

915 TunSolve Cleaner 500 ml W

Revision date: 24.04.2023

Product code: 1100923

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

915 TunSolve Cleaner 500 ml W

UFI:

6221-10GW-300Y-HJ7N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaner

1.3. Details of the supplier of the safety data sheet

Company name:	TUNAP GmbH & Co. KG	
Street:	Buergermeister-Seidl-Strasse 2	
Place:	D-82515 Wolfratshausen	
Telephone:	+49 (0) 8171/1600-0	Telefax: +49 (0) 8171/1600-40
e-mail:	sdb@tunap.com	
Internet:	www.tunap.com	
1.4. Emergency telephone	111 NHS (National Health Service)	
numbor		

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aerosol 2; H223-H229 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H336 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

Warning

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

2-Propanol Hydrocarbons C7-C9, iso-alkanes Acetone

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

Signal word:

Pictograms:



Hazard statements

H223	Flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.



915 TunSolve Cleaner 500 ml W

Revision date: 24.04.2023

Product code: 1100923

Page 2 of 14

Precautionary statements

· · · · · · · · · · · · · · · · · · ·	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe spray.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P304+P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container according to the official regulations.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



915 TunSolve Cleaner 500 ml W

Revision date: 24.04.2023

Product code: 1100923

Page 3 of 14

Hazardous components

CAS No	Chemical name	Quantity			
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)			
67-63-0	2-Propanol			25 - < 50 %	
	200-661-7	603-117-00-0	01-2119457558-25		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336	·		
64741-66-8	Hydrocarbons C7-C9, iso-alkanes			20 - < 25 %	
	921-728-3		01-2119471305-42		
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411				
67-64-1	Acetone	20 - < 25 %			
	200-662-2	606-001-00-8	01-2119471330-49		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336 EUH	066		
	Hydrocarbons, C9-C10, n-alkanes	isoalkanes, cyclenes, <2	% aromatics	3 - < 5 %	
	927-241-2		01-2119471843-32		
	Flam. Liq. 3, STOT SE 3, Asp. Tox		1066		
124-38-9	carbon dioxide			3 - < 5 %	
	204-696-9				
		•			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	Limits, M-factors and ATE				
67-63-0	200-661-7	2-Propanol	25 - < 50 %			
	inhalation: LC50 = 47,5 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 5280 mg/kg					
64741-66-8	Hydrocarbons C7-C9, iso-alkanes	20 - < 25 %				
	inhalation: LC50 = > 21 mg/l (vapours); inhalation: LC50 = >9,4 mg/l (dusts or mists); dermal: LD50 = > 2200 - 2500 mg/kg; oral: LD50 = > 7100 - 7800 mg/kg					
67-64-1 200-662-2 Acetone			20 - < 25 %			
	inhalation: LC	50 = 76 mg/l (vapours); dermal: LD50 = 20000 mg/kg; oral: LD50 = 5800 mg/kg				
	927-241-2 Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics					
	inhalation: LC mg/kg	50 = > 4951 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000				

Labelling for contents according to Regulation (EC) No 648/2004

15 % - < 30 % aliphatic hydrocarbons.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.



according to UK REACH Regulation

915 TunSolve Cleaner 500 ml W

Revision date: 24.04.2023

Product code: 1100923

Page 4 of 14

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Danger of bursting container.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

For non-emergency personnel

First aider: Pay attention to self-protection!

For emergency responders

Fight fire with normal precautions from a reasonable distance.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.



915 TunSolve Cleaner 500 ml W

Revision date: 24.04.2023

Product code: 1100923

Page 5 of 14

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Protect from frost. Protect from direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

Cleaner

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-64-1	Acetone	500	1210		TWA (8 h)	WEL
		1500	3620		STEL (15 min)	WEL
124-38-9	Carbon dioxide	5000	9150		TWA (8 h)	WEL
		15000	27400		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL



according to UK REACH Regulation

915 TunSolve Cleaner 500 ml W

Revision date: 24.04.2023

Product code: 1100923

Page 6 of 14

DNEL/DMEL values

CAS No	Substance		-	
DNEL type		Exposure route	Effect	Value
64741-66-8	Hydrocarbons C7-C9, iso-alkanes			
Worker DNEL, long-term		inhalation	systemic	2035 mg/m³
Worker DNEL, long-term		dermal	systemic	773 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	608 mg/m³
Consumer DNEL, long-term		dermal	systemic	699 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	699 mg/kg bw/day

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B)

Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. EN 166

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min Thickness of the glove material 0,45 mm

EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)...

Filtering device with filter or ventilator filtering device of type: A

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless



	915 TunSolve Cleaner 500 ml W	
Revision date: 24.04.2023	Product code: 1100923	Page 7 of 14
Odour:	solvent like	
		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and	56 °C	
boiling range:		
Flammability		
Solid/liquid:	not applicable	
Gas:	not applicable	
Lower explosion limits: Upper explosion limits:	>1,5 vol. % 14,3 vol. %	
Flash point:	-17 °C	
Auto-ignition temperature:	No information available.	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):		DIN 19268
Viscosity / kinematic:	< 7 mm²/s	
(at 40 °C)		
Water solubility:	The study does not need to be conducted	
	because the substance is known to be	
	insoluble in water.	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined No information available.	
Vapour pressure: Density (at 20 °C):	0,755 g/cm ³	DIN 51757
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical haz	and elasses	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	No information available.	
Solvent content:	No information available.	
Solid content:	not determined	
Sublimation point:	No information available.	
Softening point:	No information available. No information available.	
Viscosity / dynamic: Flow time:	No information available.	
Further Information		
Data apply to technical substance: Relativ	ve density, Colour, Odour, Viscosity, pH.	

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquids

10.2. Chemical stability



915 TunSolve Cleaner 500 ml W

Revision date: 24.04.2023

Product code: 1100923

Page 8 of 14

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

915 TunSolve Cleaner 500 ml W

Revision date: 24.04.2023

Product code: 1100923

Page 9 of 14

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
67-63-0	2-Propanol							
	oral	LD50 mg/kg	5280	Rat				
	dermal	LD50 mg/kg	> 2000	Rabbit				
	inhalation (4 h) vapour	LC50	47,5 mg/l	Rat				
64741-66-8	Hydrocarbons C7-C9, is	o-alkanes						
	oral LD50 > 7100 - 7800 mg/kg			Rat	Study report (1961)	OECD Guideline 401		
	dermal LD50 > 2200 - 2500 mg/kg		Rabbit	Study report (1961)	Standard acute method, applying 4 differ			
	inhalation (4 h) vapour	LC50	> 21 mg/l	Rat	Study report (1985)	OECD Guideline 403		
	inhalation (4 h) dust/mist	LC50	>9,4 mg/l	Rat				
67-64-1	Acetone							
	oral	LD50 mg/kg	5800	Rat				
	dermal	LD50 mg/kg	20000	Rabbit				
	inhalation (4 h) vapour	LC50	76 mg/l	Rat				
	Hydrocarbons, C9-C10,	n-alkanes, is	soalkanes, cy	clenes, <2% aromatic	s			
	oral	LD50 mg/kg	> 5000	Rat				
	dermal	LD50 mg/kg	> 5000	Rabbit				
	inhalation (4 h) vapour	LC50 mg/l	> 4951	Rat				

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

May cause drowsiness or dizziness. (2-Propanol; Hydrocarbons C7-C9, iso-alkanes; Acetone)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.



915 TunSolve Cleaner 500 ml W

Revision date: 24.04.2023

Product code: 1100923

Page 10 of 14

Specific effects in experiment on an animal

No information available.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

No Chemical name							
Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
2-Propanol							
Acute fish toxicity	LC50 mg/l	9640	96 h	Pimephales promelas			
Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus			
Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna			
Hydrocarbons C7-C9, iso	-alkanes			•	•	•	
Acute fish toxicity	LC50 mg/l	1000	96 h	Oncorhynchus mykiss	SIDS Initial Assessment Report For SIAM	OECD Guideline 203	
Acute algae toxicity	ErC50 mg/l	1000	72 h	Pseudokirchneriella subcapitata	SIDS Initial Assessment Report For SIAM	OECD Guideline 201	
Acute crustacea toxicity	EC50 mg/l	1000	48 h	Daphnia magna	Publication (1986)	other: As described in: The evaluation o	
Fish toxicity	NOEC mg/l	0,778	28 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2009)	The aquatic toxicity was estimated by a	
Crustacea toxicity	NOEC	1 mg/l	21 d	Daphnia magna	SIDS Initial Assessment Report For SIAM	OECD Guideline 211	
Acetone	-			•	• •		
Acute fish toxicity	LC50 mg/l	5540	96 h	Onchorhynchus mykiss			
Acute algae toxicity	ErC50 mg/l	5000	96 h	Desmodesmus subspicatus			
Acute crustacea toxicity	EC50 mg/l	6100	48 h	Daphnia magna			
Hydrocarbons, C9-C10, n	-alkanes, is	oalkanes, cy	clenes, <	2% aromatics			
Acute fish toxicity	LC50 mg/l	>1000	96 h	Oncorhynchus mykiss (Rainbow trout)			
Acute algae toxicity	ErC50 mg/l	>1000	72 h	Pseudokirchneriella subcapitata			
Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna			
	Aquatic toxicity 2-Propanol Acute fish toxicity Acute algae toxicity Acute crustacea toxicity Hydrocarbons C7-C9, iso Acute fish toxicity Acute algae toxicity Acute fish toxicity Acute algae toxicity Acute crustacea toxicity Acute crustacea toxicity Fish toxicity Crustacea toxicity Acute fish toxicity Acute fish toxicity Acute algae toxicity Acute fish toxicity Acute fish toxicity Acute fish toxicity Acute fish toxicity Acute algae toxicity Acute algae toxicity Acute algae toxicity	Aquatic toxicityDose2-PropanolLC50 mg/lAcute fish toxicityErC50 mg/lAcute algae toxicityErC50 mg/lAcute crustacea toxicityEC50 mg/lHydrocarbons C7-C9, iso	Aquatic toxicityDose2-PropanolLC509640Acute fish toxicityLC509640Acute algae toxicityErC50> 100Mg/lAcute crustacea toxicityEC50> 100Hydrocarbons C7-C9, iso-ukanesAcute fish toxicityLC501000Acute fish toxicityLC501000mg/lAcute algae toxicityErC501000mg/lAcute algae toxicityErC501000mg/lAcute crustacea toxicityEC501000mg/lFish toxicityNOEC0,778mg/lCrustacea toxicityNOEC1 mg/lmg/lAcute fish toxicityLC505540mg/lAcute fish toxicityErC505000mg/lAcute algae toxicityErC505000mg/lAcute algae toxicityErC506100mg/lAcute algae toxicityEC506100mg/lAcute rustacea toxicityEC506100mg/lAcute fish toxicityLC50>1000mg/lAcute fish toxicityLC50>1000mg/lAcute fish toxicityEC50>1000mg/lAcute fish toxicityErC50>1000mg/lAcute algae toxicityErC50>1000mg/lAcute algae toxicityErC50>1000mg/lAcute algae toxicityErC50>1000mg/lAcute algae toxicityErC50>1000mg/lAcute algae toxicityErC50>1000<	Aquatic toxicityDose[h] [d]2-PropanolImage: Constraint of the second se	Aquatic toxicityDose[h] [d]Species2-PropanolLC50964096 hPimephales promelasAcute fish toxicityLC50964096 hPimephales promelasAcute algae toxicityErC50> 10072 hDesmodesmus subspicatusAcute crustacea toxicityEC50> 10048 hDaphnia magnaHydrocarbons C7-C9, iso-alkanesHAcute fish toxicityLC50100096 hOncorhynchus mykissAcute algae toxicityErC50100072 hPseudokirchneriella subcapitataAcute algae toxicityErC50100072 hPseudokirchneriella subcapitataAcute crustacea toxicityErC50100072 hPseudokirchneriella subcapitataAcute crustacea toxicityNOEC0,77828 dOncorhynchus mykissGrustacea toxicityNOEC1 mg/l21 dDaphnia magnaFish toxicityNOEC1 mg/l21 dDaphnia magnaAcute fish toxicityLC50554096 hOnchorhynchus mykissAcute algae toxicityErC50500096 hDesmodesmus subspicatusAcute rustacea toxicityErC50610048 hDaphnia magnaHydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics	Aquatic toxicityDose $ h dl$ SpeciesSource2-PropanolAcute fish toxicityLC50964096 hPimephales promelasAcute algae toxicityErC50> 10072 hDesmodesmus subspicatusAcute crustacea toxicityEC50> 10048 hDaphnia magnaHydrocarbons C7-C9, Iso-alkanesHororhynchus mykissSIDS Initial Assessment Report For SIAMAcute algae toxicityErC50 mg/l100096 hOncorhynchus mykissSIDS Initial Assessment Report For SIAMAcute algae toxicityErC50 mg/l100072 hPseudokirchneriella subcapitataSIDS Initial Assessment Report For SIAMAcute crustacea toxicityErC50 mg/l100048 hDaphnia magnaPublication (1986)Fish toxicityNOEC mg/l0,778 mg/l28 dOncorhynchus mykiss Belgium (2009)CONCAWE, Brussels, Belgium (2009)Crustacea toxicityNOEC mg/l1 mg/l21 dDaphnia magnaSIDS Initial Assessment Report For SIAMAcute fish toxicityLC50 mg/l5540 mg/l96 hOncorhynchus mykissSIDS Initial Assessment Report For SIAMAcute algae toxicityErC50 mg/l6100 mg/l48 hDaphnia magnaSIDS Initial Assessment Report For SIAMAcute fish toxicityErC50 mg/l6100 mg/l96 hOncorhynchus mykiss (Rainbow trout)Acute crustacea toxicityAcute fish toxicityErC50 ErC509100 Mg/l	

12.2. Persistence and degradability



915 TunSolve Cleaner 500 ml W

Revision date: 24.04.2023

Product code: 1100923

Page 11 of 14

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	2-Propanol	0,05
67-64-1	Acetone	-0,24

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0



14.2. UN proper shipping name:AE14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1Classification code:5FSpecial Provisions:19Limited quantity:11Excepted quantity:E0Marine transport (IMDG)14.1. UN number or ID number:14.2. UN proper shipping name:AE14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:10Excepted quantity:E0	N 1950 EROSOLS 1 = 90 327 344 625 L 0 N 1950 EROSOLS
Tunnel restriction code:DInland waterways transport (ADN)14.1. UN number or ID number:UN14.2. UN proper shipping name:AE14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1Classification code:5FSpecial Provisions:19Limited quantity:11Excepted quantity:1014.1. UN number or ID number:UN14.2. UN proper shipping name:AE14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.114.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10EmS:F-I	N 1950 EROSOLS 1 = 90 327 344 625 L 0 N 1950 EROSOLS
Inland waterways transport (ADN) 14.1. UN number or ID number: UN 14.2. UN proper shipping name: AE 14.3. Transport hazard class(es): 2 14.4. Packing group: - Hazard label: 2.1 Classification code: 5F Special Provisions: 19 Limited quantity: 11 Excepted quantity: E0 Marine transport (IMDG) 14.1. UN number or ID number: UN 14.2. UN proper shipping name: AE 14.3. Transport hazard class(es): 2.1 14.3. Transport hazard class(es): 2.1 14.4. Packing group: - Hazard label: 2.1 14.4. Packing group: - Hazard label: 2.1 Marine pollutant: No Special Provisions: 63 Limited quantity: 10 Excepted quantity: 10 Excepted quantity: E0 EmS: F-I	N 1950 EROSOLS 1 = 90 327 344 625 L 0 N 1950 EROSOLS
14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 2 14.4. Packing group: - Hazard label: Classification code: Special Provisions: Limited quantity: Excepted quantity: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 2.1 14.1. UN number or ID number: 14.3. Transport hazard class(es): 2.1 14.3. Transport hazard class(es): 2.1 14.4. Packing group: - 14.3. Transport hazard class(es): 2.1 14.4. Packing group: - Hazard label: 14.3. Transport hazard class(es): 2.1 14.4. Packing group: - Hazard label: Marine pollutant: Special Provisions: 63 Limited quantity: 10 Excepted quantity: E00 EmS: Classification: Classification code: Classification code: 	EROSOLS 1 - 90 327 344 625 L 0 N 1950 EROSOLS
14.2. UN proper shipping name:AE14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1Classification code:5FSpecial Provisions:19Limited quantity:11Excepted quantity:E0Marine transport (IMDG)14.1. UN number or ID number:14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.114.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10EmS:F-1	EROSOLS 1 - 90 327 344 625 L 0 N 1950 EROSOLS
14.2. UN proper shipping name:AE14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1Classification code:5FSpecial Provisions:19Limited quantity:11Excepted quantity:E0Marine transport (IMDG)14.1. UN number or ID number:14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.114.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10EmS:F-1	1 = 90 327 344 625 L 0 N 1950 EROSOLS
14.4. Packing group:-Hazard label:2.1Classification code:5FSpecial Provisions:19Limited quantity:11Excepted quantity:10Marine transport (IMDG)14.1. UN number or ID number:14.2. UN proper shipping name:AE14.3. Transport hazard class(es):2.1Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:10Excepted quantity:10Excepted quantity:10EmS:F-1	= 90 327 344 625 L 0 N 1950 EROSOLS
Hazard label:2.1Classification code:5FSpecial Provisions:19Limited quantity:11Excepted quantity:E0Marine transport (IMDG)14.1. UN number or ID number:14.2. UN proper shipping name:AE14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-I	= 90 327 344 625 L 0 N 1950 EROSOLS
Classification code:5FSpecial Provisions:19Limited quantity:1 LExcepted quantity:E0Marine transport (IMDG)UN14.1. UN number or ID number:UN14.2. UN proper shipping name:AE14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-I	= 90 327 344 625 L 0 N 1950 EROSOLS
Special Provisions:19Limited quantity:1 LExcepted quantity:E0Marine transport (IMDG)UN14.1. UN number or ID number:UN14.2. UN proper shipping name:AE14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-I	90 327 344 625 L D N 1950 EROSOLS
Limited quantity:1 LExcepted quantity:E0Marine transport (IMDG)UN14.1. UN number or ID number:UN14.2. UN proper shipping name:AE14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-I	L D N 1950 EROSOLS
Excepted quantity: E0 Marine transport (IMDG) UN 14.1. UN number or ID number: UN 14.2. UN proper shipping name: AE 14.3. Transport hazard class(es): 2.1 14.4. Packing group: - Hazard label: 2.1 Marine pollutant: No Special Provisions: 63 Limited quantity: 10 Excepted quantity: E0 EmS: F-I	0 N 1950 EROSOLS
Marine transport (IMDG) 14.1. UN number or ID number: UN 14.2. UN proper shipping name: AE 14.3. Transport hazard class(es): 2.1 14.4. Packing group: - Hazard label: 2.1 Marine pollutant: No Special Provisions: 63 Limited quantity: 10 Excepted quantity: E0 EmS: F-I	N 1950 EROSOLS
14.1. UN number or ID number:UN14.2. UN proper shipping name:AE14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-I	EROSOLS
14.1. UN number or ID number:UN14.2. UN proper shipping name:AE14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-I	EROSOLS
14.2. UN proper shipping name:AE14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-1	
14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-1	1
14.4. Packing group:-Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-1	
Hazard label:2.1Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-I	
Marine pollutant:NoSpecial Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-I	1
Special Provisions:63Limited quantity:10Excepted quantity:E0EmS:F-I	0
Limited quantity: 10 Excepted quantity: E0 EmS: F-I	3, 190, 277, 327, 344, 381,959
Excepted quantity: E0 EmS: F-I	000 mL
EmS: F-I	0
Air transport (ICAO-TI/IATA-DGR)	D, S-U
	N 1950
	EROSOLS, flammable
14.3. Transport hazard class(es): 2.1	
14.4. Packing group:	
Hazard label: 2.1	1
	145 A167 A802
-p) kg G
	203
Excepted quantity: E0	
IATA-packing instructions - Passenger:	203
IATA-max. quantity - Passenger:	75 kg
IATA-packing instructions - Cargo:	203
IATA-max. quantity - Cargo:	150 kg
14.5. Environmental hazards	u u u u u u u u u u u u u u u u u u u
ENVIRONMENTALLY HAZARDOUS: No	0
14.6. Special precautions for user	
Warning: Flammable gases.	
14.7. Maritime transport in bulk according to IMC	O instruments
not applicable	
SECTION 15: Regulatory information	

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 28, Entry 40, Entry 75



Product code: 1100923	Page 13 of 14
lo information available.	
lo information available.	
n (EC) No. 1907/2006 (REACH)	
Observe restrictions to employment for juveniles according to the 'juve ork protection guideline' (94/33/EC).	nile
- slightly hazardous to water	
	o information available. (EC) No. 1907/2006 (REACH) bserve restrictions to employment for juveniles according to the 'juve ork protection guideline' (94/33/EC).

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA: International Air Transport Association IMDG: International Maritime Code for Dangerous Goods GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate STEL (EC) Short Term Exposure Limit LC50: Lethal Concentration EC50: half maximal Effective Concentration ErC50: means EC50 in terms of reduction of growth rate

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aerosol 2; H223-H229	On basis of test data
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Bridging principle "Aerosols"
Eye Irrit. 2; H319	Bridging principle "Aerosols"
STOT SE 3; H336	Bridging principle "Aerosols"
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H223	Flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.



915 TunSolve Cleaner 500 ml W

Revision date: 24.04.2023	Product code: 1100923	Page 14 of 14
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Further Information		
The above informatic	on describes evolusively the safety requirements of the product and is based on our	

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)